Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
11	7821	370/389	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L2	10149	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L3	760	(370/390).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L4	2262	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L5	82	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L6	49	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/432).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L7	1652	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37

L8	450	(((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L9	0:	((((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/432) or (370/468) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (routing) or (address) or (destination)) adj ((table) or (address)))) and ((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L10	131	((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L11	1799	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37

L12	495	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and (((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/468) or (370/432) or (370/468) or (370/477)).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
Lii3	34	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and ((370/432).CCLS.) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L14	560	(370/432).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
115	196	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L16	11	(((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37

L17	11	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP)) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L18	1	MPLS adj network adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L19	0	MPLS adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L20	0	MPLS adj circuitry	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L21	6570	((370/389) or (370/392) or (370/395.1) or (370/395.31) or (370/395.6) or (370/400)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L22	1	router and (generic adj router) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L23	26	router and (generic adj router)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L24	1	(generic adj router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L25	417	(router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L26	404	(router) and (routing adj table) and (configuration adj file) and (function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L27	5	(router) and (routing adj table) and (configuration adj file) and (special adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L28	93	(router) and (routing adj table) and (configuration adj file) and (specific adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L29	1	(generic near1 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L30	0	"20020021664".URPN.	USPAT	OR	ON	2005/10/08 18:37

L31	2	(special\$4 adj router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L32	9	(special\$4 adj2 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L33	1133	(router) and (function near2 input) and (function near2 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L34	355	(router) and (function near1 input) and (function near1 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L35	283	(router) and (function near1 input) and (function near1 output) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L36	3	(((integrated) adj (services) adj (digital) adj (network)) or (ISDN)) and ((backhaul\$3) adj3 (((Layer) or (Level)) adj ((three) or ("3"))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L37	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L38	264	("Q.931") and (TCP) and (IP) and (UDP)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L39	237	(370/354).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L40	411	(370/467).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L41	1050	(370/522).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L42	113	(370/523).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L43	347	(370/384).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L44	145	(370/385).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37

L45	313	(370/395.52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L46	641	(370/410).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L47	264	("Q.931") and ((TCP) and (IP) and (UDP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L48	1140	"Q.931"	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L49	11	L48 and L39	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L50	41	L48 and L40	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L51	49	L48 and L41	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L52	3	L48 and L42	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L53	12	L48 and L43	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L54	14	L48 and L44	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L55	5	L48 and L45	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L56	59	L48 and L46	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L57	164	L48 and L37	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L58	300	((backhaul\$3) and (((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L59	317	((backhaul\$3) and (("Q.931") or ((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L60	8	((backhaul\$3) and (("Q.931") and ((TCP) and (IP)) and (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L61	. 14	((backhaul\$3) and (("Q.931") and (TCP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L62	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L63	382	(((UDP) and (heartbeat))) not (medical)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L64	13	L62 and L37	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L65	7821	370/389	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37

L66	10149	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L67	760	(370/390).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L68	2262	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L69	1652	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L70	450	(((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/432) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37

L71	0	((((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/432) or (370/468) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and ((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))) and ((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L72	1799	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L73	495	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and (((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L74	1	MPLS adj network adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L75	0	MPLS adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L76	0	MPLS adj circuitry	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L77	6570	((370/389) or (370/392) or (370/395.1) or (370/395.31) or (370/395.6) or (370/400)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L78	1	router and (generic adj router) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37

L79	417	(router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L80	0	"20020021664".URPN.	USPAT	OR	ON	2005/10/08 18:37
L81	2	(special\$4 adj router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L82	1133	(router) and (function near2 input) and (function near2 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L83	355	(router) and (function near1 input) and (function near1 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:37
L84	237	(370/354):CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L85	411	(370/467).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L86	1050	(370/522).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L87	113	(370/523).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:37
L88	347	(370/384).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L89	145	(370/385).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L90	313	(370/395.52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L91	641	(370/410).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L92	264	("Q.931") and ((TCP) and (IP) and (UDP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L93	1140	"Q.931"	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L94	11	L93 and L84	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L95	41	L93 and L85	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L96	49	L93 and L86	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L97	3	L93 and L87	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L98	12	L93 and L88	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L99	14	L93 and L89	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L100	5	L93 and L90	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L101	59	L93 and L91	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L102	317	((backhaul\$3) and (("Q.931") or ((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L103	1	(generic adj router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L104	1	(generic near1 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L105	82	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L106	49	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/432).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L107	34	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and ((370/432).CCLS.) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L108	11	(((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L109	11	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP)) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L110	26	router and (generic adj router)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L111	5	(router) and (routing adj table) and (configuration adj file) and (special adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L112	93	(router) and (routing adj table) and (configuration adj file) and (specific adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L113	9	(special\$4 adj2 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L114	3	(((integrated) adj (services) adj (digital) adj (network)) or (ISDN)) and ((backhaul\$3) adj3 (((Layer) or (Level)) adj ((three) or ("3"))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L115	8	((backhaul\$3) and (("Q.931") and ((TCP) and (IP)) and (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L116	14	((backhaul\$3) and (("Q.931") and (TCP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L117	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L118	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L119	13	L118 and L117	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L120	131	((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L121	196	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L122	. 164	L93 and L117	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L123	283	(router) and (function near1 input) and (function near1 output) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L124	264	("Q.931") and (TCP) and (IP) and (UDP)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L125	300	((backhaul\$3) and (((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L126	404	(router) and (routing adj table) and (configuration adj file) and (function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L127	382	(((UDP) and (heartbeat))) not (medical)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L128	560	(370/432).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L129	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L130	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L131	10302	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/395.6) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L132	0	("L65and("configurationfile")and(memory)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L133	112	L131 and ("configuration file") and (memory)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L134	106	L131 and ("configuration file") and (memory) and ((router) or (brouter) or (switch) or (bridge))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L135	40	L131 and ("configuration file") and (memory) and ((router) or (brouter) or (switch) or (bridge)) and ((rout\$3) adj (table))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L136	7821	370/389	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L137	10149	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L138	760	(370/390).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L139	2262	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L140	1652	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L141	450	(((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/495.4) or (370/400) or (370/477)).CCLS.) and ((packet) and ((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

						
L142	0	((((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/495.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))) and ((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L143	1799	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L144	495	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and (((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L145	1	MPLS adj network adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L146	0	MPLS adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L147	0	MPLS adjicircuitry	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L148	6570	((370/389) or (370/392) or (370/395.1) or (370/395.31) or (370/395.6) or (370/400)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L149	1	router and (generic adj router) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L150	417	(router) and (routing adj table)	US-PGPUB;	OR	ON	2005/10/08 18:38
	<u> </u>	and (configuration adj file)	USPAT) 	ON	2005/10/09 19/29
L151	0	"20020021664".URPN.	USPAT	OR	ON	2005/10/08 18:38
L152	2	(special\$4 adj router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L153	1133	(router) and (function near2 input) and (function near2 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L154	355	(router) and (function near1 input) and (function near1 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L155	237	(370/354).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L156	411	(370/467).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L157	1050	(370/522).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L158	113	(370/523).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L159	347	(370/384).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L160	145	(370/385).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L161	313	(370/395.52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L162	641	(370/410).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L163	264	("Q.931") and ((TCP) and (IP) and (UDP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L164	1140	"Q.931"	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L165	11	L164 and L155	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L166	41	L164 and L156	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L167	49	L164 and L157	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L168	3	L164 and L158	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L169	12	L164 and L159	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L170	14	L164 and L160	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L171	5	L164 and L161	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L172	59	L164 and L162	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L173	317	((backhaul\$3) and (("Q.931") or ((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L174	7821	370/389	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L175	10149	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L176	760	(370/390).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L177	2262	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L178	1652	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L179	450	(((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/395.4) or (370/495.31) or (370/432) or (370/468) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))	US-PGPUB; USPAT	OR	ON .	2005/10/08 18:38
L180	0	((((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/432) or (370/400) or (370/477)).CCLS.) and ((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router))) and (((forwarding) or (routing) or (address) or (destination)) adj ((table) or (address))))) and ((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L181	1799	(packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38

L182	495	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and (((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L183	1	MPLS adj network adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L184	0	MPLS adj equipment	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L185	0	MPLS adj circuitry	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L186	6570	((370/389) or (370/392) or (370/395.1) or (370/395.31) or (370/395.6) or (370/400)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L187	1	router and (generic adj router) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L188	417	(router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L189	0	"20020021664".URPN.	USPAT	OR	ON	2005/10/08 18:38
L190	2	(special\$4 adj router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L191	1133	(router) and (function near2 input) and (function near2 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L192	355	(router) and (function near1 input) and (function near1 output)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L193	237	(370/354):CCLS:	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L194	411	(370/467).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L195	1050	(370/522).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38

L196	113	(370/523).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L197	347	(370/384).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L198	145	(370/385).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L199	313	(370/395.52).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L200	641	(370/410).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:38
L201	264	("Q.931") and ((TCP) and (IP) and (UDP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L202	1140	"Q.931"	US-PGPUB; USPAT	OR	ON	2005/10/08 18:38
L203	11	L202 and L193	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L204	41	L202 and L194	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L205	49	L202 and L195	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L206	3	L202 and L196	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L207	12	L202 and L197	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L208	14	L202 and L198	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L209	5	L202 and L199	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L210	59	L202 and L200	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L211	317	((backhaul\$3) and (("Q.931") or ((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L212	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L213	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39

L214	10302	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/395.6) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L215	0	("L65and("configurationfile")and(memory)").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L216	112	L214 and ("configuration file") and (memory)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L217	106	L214 and ("configuration file") and (memory) and ((router) or (brouter) or (switch) or (bridge))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L218	1	(generic adj router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L219	1	(generic near1 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L220	1	(generic adj router) and (routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L221	1	(generic near1 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L222	82	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L223	49	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/432).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39

L224	34	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
		or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and ((370/432).CCLS.) and ((370/390).CCLS.)				
L225	11	(((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L226	11	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP)) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L227	26	router and (generic adj router)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L228	5	(router) and (routing adj table) and (configuration adj file) and (special adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L229	93	(router) and (routing adj table) and (configuration adj file) and (specific adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L230	9	(special\$4 adj2 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L231	3	(((integrated) adj (services) adj (digital) adj (network)) or (ISDN)) and ((backhaul\$3) adj3 (((Layer) or (Level)) adj ((three) or ("3"))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L232	8	((backhaul\$3) and (("Q.931") and ((TCP) and (IP)) and (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L233	14	((backhaul\$3) and (("Q.931") and (TCP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39

L234	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L235	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L236	13	L235 and L234	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L237	82	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L238	49	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another)) adj ((address) or (destination))) and ((network) adj ((server) or (switch) or (node) or (router)))) and ((370/432).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L239	34	((packet) and (((multiple) or (plural\$3) or (first) or (second) or (another) or (2nd)) adj ((address) or (destination))) and (((network) adj ((server) or (switch) or (node) or (router))) or (network)) and (((forwarding) or (routing) or (address) or (destination)) adj (table))) and ((370/432).CCLS.) and ((370/390).CCLS.)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L240	11	(((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L241	11	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP)) and ((next) adj ((destination) or (hop)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L242	26	router and (generic adj router)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39

L243	5	(router) and (routing adj table) and (configuration adj file) and (special adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L244	93	(router) and (routing adj table) and (configuration adj file) and (specific adj function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L245	9	(special\$4 adj2 router) and (routing near2 table) and (configuration adj file) and (function) and (route) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L246	3	(((integrated) adj (services) adj (digital) adj (network)) or (ISDN)) and ((backhaul\$3) adj3 (((Layer) or (Level)) adj ((three) or ("3"))))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L247	8	((backhaul\$3) and (("Q.931") and ((TCP) and (IP)) and (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L248	14	((backhaul\$3) and (("Q.931") and (TCP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L249	13	L213 and L212	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L250	40	L214 and ("configuration file") and (memory) and ((router) or (brouter) or (switch) or (bridge)) and ((rout\$3) adj (table))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L251	131	((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L252	196	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L253	164	L164 and L234	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L254	131	((packet) adj (bundl\$3))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L255	196	((((bundled) or (concatenated) or (aggregated) or (compressed)) adj (packets)) or (superframe)) and ((address) or (destination)) and (((multicast) adj (routing) adj (protocol)) or (multicast) or (MOSPF) or (PIM adj SM) or (PIM adj DM) or (DVMRP) or (BGP))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L256	164	L202 and L212	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39

L257	283	(router) and (function near1 input) and (function near1 output) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L258	264	("Q.931") and (TCP) and (IP) and (UDP)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L259	300	((backhaul\$3) and (((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L260	283	(router) and (function near1 input) and (function near1 output) and ((load\$) or (load\$2 adj up) or (turn\$2 adj on) or (start\$2 adj up))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L261	264	("Q.931") and (TCP) and (IP) and (UDP)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L262	300	((backhaul\$3) and (((TCP) and (IP)) or (TCP/IP)))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L263	404	(router) and (routing adj table) and (configuration adj file) and (function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L264	382	(((UDP) and (heartbeat))) not (medical)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L265	404	(router) and (routing adj table) and (configuration adj file) and (function)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:51
L266	382	(((UDP) and (heartbeat))) not (medical)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L267	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L268	451	((UDP) and (heartbeat))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L269	560	(370/432).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L270	560	(370/432).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L271	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39
L272	3004	((370/354) or (370/467) or (370/522) or (370/523) or (370/384) or (370/385) or (370/395.52) or (370/410)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:39

L273	0	("(router)and((congestion)adj(cont rol))and((contention)adj(control))a nd(radar)and((air)adj(traffic)adj(c ontrol))and(meteorological)and((fli ght)adj(plan))").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/08 18:39
L274	0	(router) and ((congestion) adj (control)) and ((contention) adj (control)) and (radar) and ((air) adj (traffic) adj(control)) and (meteorological) and ((flight) adj (plan))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L275	6	(router) and (radar) and ((air) adj (traffic) adj (control)) and (meteorological) and ((flight) adj (plan))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L276	33	(radar) and ((air) adj (traffic) adj (control)) and (meteorological) and ((flight) adj (plan))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L277	1	("6380689").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/08 18:39
L278	1	("6380869").PN.	US-PGPUB; USPAT	OR	OFF	2005/10/08 18:39
L279	0	(router) and ((congestion) adj (control)) and ((contention) adj (control)) and ((packet) adj (discard))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L280	136	(router) and ((congestion) adj (control)) and (contention)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L281	0	(router) and ((congestion) adj (control)) and (contention) and ((time) adj (to) adj (live))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L282	17	(router) and ((congestion) adj (control)) and (contention) and ((packet) adj (discard))	US-PGPUB; USPAT	OR	ON	2005/10/08 18:39
L283	516	(routing adj table) and (configuration adj file)	US-PGPUB; USPAT	OR	ON	2005/10/08 18:51
L284	10302	((370/389) or (370/390) or (370/392) or (370/393) or (370/395.1) or (370/396) or (370/395.31) or (370/395.4) or (370/395.6) or (370/400) or (370/432) or (370/468) or (370/477)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:54
L285	0	("L283andL284").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/08 18:54
L286	44	L283 and L284	US-PGPUB; USPAT	OR	ON	2005/10/08 18:54